

03500.016081



PATENT

CJC  
/

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

MASASHI MIYAGAWA ET AL.

Appl. No.: 10/025,534

Filed: December 26, 2001

For: METHOD FOR MANUFACTURING  
INK JET HEAD AND INK HEAD  
MANUFACTURED BY SUCH  
METHOD

U.S. Patent No.: 6,790,309 B2

Issued: September 14, 2004

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Examiner: John T. Haran

Group Art Unit: 1733

**Certificate**  
**NOV 30 2004**  
**of Correction**

November 22, 2004

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

11/24/2004 NNGUYEN2 00000165 6790309


01 FC:1811

100.00 0P

6 DEC 2004

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



---

John A. Krause  
Attorney for Patentees  
Registration No.: 24613

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

NY\_MAIN 464789v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 2**

Line 39, "ryas" should read --rays--; and  
Line 51, "component," should read --components,--.

**COLUMN 3**

Line 1, "soften" should read --softened--; and  
Line 4, "movable" should read --a movable--.

**COLUMN 4**

Line 8, "ryas" should read --rays--.

**COLUMN 5**

Line 34, "process." should read --process;--.

**COLUMN 7**

Line 2, "contactness," should read --contact,--;  
Line 18, "from of" should read --form of--;  
Line 22, "dissolved" should read --being dissolved--; and  
Line 65, "dried." should read --being dried.--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 8**

Line 18, "are is" should read --are--; and  
Line 45, "catalyst" should read --a catalyst--.

**COLUMN 9**

Line 6, "a adhesive" should read --an adhesive--;  
Line 14, "rays is" should read --rays are--; and  
Line 63, "is irradiated" should read --are irradiated--.

**COLUMN 10**

Line 10, "this" should read --This--;  
Line 11, "leave it" should read --is left--;  
Line 32, "photo-sensitive" should read --photosensitive--;  
Line 37, "any bonding strength occurs." should read --does any bonding strength occur--;  
Line 44, "leave it" should read --is left--;  
Line 56, "photo-sensitive" should read --photosensitive--; and  
Line 66, "photo-sensitive" should read --photosensitive--.

**COLUMN 11**

Line 22, "rays is" should read --rays are--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 12**

Line 61, "photo-sensitive" should read --photosensitive--.

**COLUMN 13**

Line 6, "is irradiated" should read --are irradiated--;  
Line 16, "left" should read --being left--;  
Line 16, "3months," should read --3 months,--;  
Line 40, "is irradiated" should read --are irradiated--;  
Line 49, "left" should read --being left--; and  
Line 61, "photo-sensitive" should read --photosensitive--.

**COLUMN 14**

Line 5, "photo-sensitive" should read --photosensitive--;  
Line 9, "good enough." should read --well enough.--;  
Line 12, "make" should read --promote--;  
Line 12, "promoted" should be deleted; and  
Line 54, "reaction progressed" should read --the reaction progress--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 15**

Line 38, "contactness" should read --contact--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 2**

Line 39, "ryas" should read --rays--; and

Line 51, "component," should read --components,--.

**COLUMN 3**

Line 1, "soften" should read --softened--; and

Line 4, "movable" should read --a movable--.

**COLUMN 4**

Line 8, "ryas" should read --rays--.

**COLUMN 5**

Line 34, "process." should read --process;--.

**COLUMN 7**

Line 2, "contactness," should read --contact,--;

Line 18, "from of" should read --form of--;

Line 22, "dissolved" should read --being dissolved--; and

Line 65, "dried." should read --being dried.--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 2 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 8**

Line 18, "are is" should read --are--; and  
Line 45, "catalyst" should read --a catalyst--.

**COLUMN 9**

Line 6, "a adhesive" should read --an adhesive--;  
Line 14, "rays is" should read --rays are--; and  
Line 63, "is irradiated" should read --are irradiated--.

**COLUMN 10**

Line 10, "this" should read --This--;  
Line 11, "leave it" should read --is left--;  
Line 32, "photo-sensitive" should read --photosensitive--;  
Line 37, "any bonding strength occurs." should read --does any bonding strength occur.--;  
Line 44, "leave it" should read --is left--;  
Line 56, "photo-sensitive" should read --photosensitive--; and  
Line 66, "photo-sensitive" should read --photosensitive--.

**COLUMN 11**

Line 22, "rays is" should read --rays are--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page



6 DEC 2004



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 3 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 12**

Line 61, "photo-sensitive" should read --photosensitive--.

**COLUMN 13**

Line 6, "is irradiated" should read --are irradiated--;  
Line 16, "left" should read --being left--;  
Line 16, "3months," should read --3 months,--;  
Line 40, "is irradiated" should read --are irradiated--;  
Line 49, "left" should read --being left--; and  
Line 61, "photo-sensitive" should read --photosensitive--.

**COLUMN 14**

Line 5, "photo-sensitive" should read --photosensitive--;  
Line 9, "good enough." should read --well enough.--;  
Line 12, "make" should read --promote--;  
Line 12, "promoted" should be deleted; and  
Line 54, "reaction progressed" should read --the reaction progress--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,790,309 B2

DATED : September 14, 2004

INVENTOR(S) : MASASHI MIYAGAWA ET AL.

Page 4 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**COLUMN 15**

Line 38, "contactness" should read --contact--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 6,790,309 B2

No. of add'l. copies  
@ 30¢ per page

